



www.rcfencingni.com



info@rcengineeringni.com



028 796 27 188

RCF - TRIPLE APERTURE 868 SPORTS REBOUND

Sporting Venues, perimeter sports rebound system

Description


Our RCF- 3 Aperture 868 sports Rebound system is the ultimate in perimeter sports rebound systems

This heavy duty system features a 3000mm high base panel with mesh apertures split in 1000mm increments of 50x66mm, 50x100mm and 50x200mm.

The panel has twin 8.0mm diameter horizontal wires and single 6.0mm vertical wires.

Panels are manufactured from Galvanised wire to BS EN 10244-2 Class D (Minimum 40g/m²)

Panels are Pre-treated with a conversion layer for a better adhesion of the polyester powder coating.



Description


Fence posts are manufactured from mild steel, hot dipped galvanised to BS EN ISO 1461, and polyester powder coated to BS EN 13438, then capped with a suitable-sized PVC insert

Fence panels are fitted to posts using our RCF868 fixators with stainless steel hex pin bolts

System Heights range from 3000mm high – 6000mm high (heights above 3000mm achieved with a multi-lift panel arrangement)

Typical post sizes for our system are listed below (subject to system design and ground conditions)

- 3000mm high – 70x70x3.0mm post section
- 4000mm high – 80x80x3.0mm post section
- 5000mm high – 100x100x3.0mm post section
- 6000mm high – 100x100x4.0mm post section



Because it offers exceptional resistance to strong impact, the RCF 868 Sports Rebound System is ideal for usage around multipurpose game areas, professional sports fields for all sports, football and hockey fields, and leisure spaces.